



**Bureau of Laboratory Quality Standards
Ministry of Public Health**

This is to certify that

**The laboratory of
Central Laboratory (Thailand) Company Limited.
(Bangkok Branch)**

**2179 Phaholyothin Road, Lat Yao, Chatuchak,
Bangkok 10900, Thailand**

has been accepted as an
accredited laboratory complying with the ISO/IEC 17025 : 2017
and the requirements of the Bureau of Laboratory Quality Standards

The laboratory has been accredited for specific tests
listed in the scope within the field of

Food and Feeding Stuffs Testing

(Dr. Patravee Soisangwan)

Director of Bureau of Laboratory Quality Standards

Date of Accreditation : 14 October 2021

Valid Until : 24 June 2022

Accreditation Number 1051/47

The Laboratory Central Laboratory (Thailand) Co., Ltd, (Bangkok Branch) has been accepted as an accredited laboratory in the field of foods and feeding stuffs testing for the following scopes.

No.	Type of Sample	Test	Method
1.	Carcass rinse	1. <i>Salmonella</i> spp. (Detected or not detected)	ISO 6579-1:2017/Amd.1:2020
2.	Potable water *	2. <i>Clostridium perfringens</i> (CFU, Detected or not detected)	ISO 14189:2013
3.	Non-Potable water **		
4.	Mineral water		
5.	Ice		

Potable water * as described

1. Drinking water in sealed containers
2. Drinking water in non-sealed container
3. Water in food processing (process water)
4. Filtered water
5. Drinking water from automatic vending machine for drinking water
6. Groundwater for consumption

Non-Potable water ** as described

1. Surface water
2. Underground water
3. Water supply
4. Groundwater
5. Water from natural sources, canal water or river
6. Water to be used in food
7. Water from irrigation system
8. Treated water
9. Water used in laboratory
10. Steam water
11. Boiler water

Bureau of Laboratory Quality Standards

Page 1 of 1

Accreditation Number 1051/47

Revision No. 00

Date of Accreditation 14 October 2021

Date Revised 14 October 2021

Valid Until 24 June 2022

Reviewed by Head of Laboratory Accreditation Section (Mr. Surasak Muenphon)