

# Department of Livestock Development Ministry of Agriculture and Cooperatives

This is to certify that

CENTRAL LABORATORY (THAILAND) Co., Ltd. Songkhla Branch

9/116 Kanchanawanich Road, Hatyai, Hatyai, Songkhla, 90110 Thailand.

Has been designated as livestock products analysis laboratory by Department of Livestock Development

**Designation code** 039-56(1)/10-2568

Date of issue 7 July 2025

Valid until 6 July 2028

Cyon-

(DR.UDOM CHUACHAN, DVM.)
DIRECTOR OF BUREAU OF QUALITY CONTROL
OF LIVESTOCK PRODUCTS



#### by Department of Livestock Development

Name of Laboratory

: CENTRAL LABORATORY (THAILAND) Co., Ltd.

Songkhla Branch

Address

: 9/116 Kanchanawanich Road, Hatyai, Hatyai, Songkhla,

90110 Thailand.

Designation Code

: 039-56(1)/10-2568

Type of Sample	Test	Method
1. Food*	Aerobic Plate Count (CFU)	FDA BAM <i>Online</i> , 2001 (Chapter 3)
	Coliforms (MPN)	FDA BAM <i>Online</i> , 2020 (Chapter 4)
	Escherichia coli (MPN)	
	Coliforms (CFU)	AOAC (2023) 998.08 and 991.14
	Escherichia coli (CFU)	
	Salmonella spp.	ISO 6579-1 : 2017/Amd 1 : 2020 (E)
	(Detected or not detected)	
	Staphylococcus aureus	FDA BAM <i>Online</i> , 2016 (Chapter 12)
	(CFU, MPN)	
	Listeria monocytogenes	ISO 11290-1 : 2017 (E)
	(Detected or not detected)	
	Yeasts and Moulds (CFU)	FDA BAM <i>Online</i> , 2001 (Chapter 18)

Date of issue

: 7 July 2025

Valid until

6 July 2028

(DR.UDOM CHUACHAN, DVM.)

DIRECTOR OF BUREAU OF QUALITY CONTROL



# Registration of Testing Scope for designation on Livestock products analysis by Department of Livestock Development

Name of Laboratory

: CENTRAL LABORATORY (THAILAND) Co., Ltd.

Songkhla Branch

Address

: 9/116 Kanchanawanich Road, Hatyai, Hatyai, Songkhla,

90110 Thailand.

Designation Code

: 039-56(1)/10-2568

Type of Sample	Test	Method
1. Food* (Continued)	Clostridium perfringens	FDA BAM <i>Online</i> , 2001 (Chapter 16)
	(CFU, Detected or not	
	detected)	
	Enterobacteriaceae (CFU)	ISO 21528-2 : 2017 (E)
	Enterococci (CFU)	Compendium of Method for the
		Microbiology Examination of Foods,
		(APHA), 5 <sup>th</sup> Edition, 2015, Chapter 10
2. Chicken meat	Chloramphenicol	In-house method TE-CH-027 based
		on Journal of Chromatography B.,
		(2003), Vol.791, page 31-38

Date of issue

7 July 2025

Valid until

6 July 2028

Signed.....

(DR.UDOM CHUACHAN, DVM.)

DIRECTOR OF BUREAU OF QUALITY CONTROL
OF LIVESTOCK PRODUCTS



#### by Department of Livestock Development

Name of Laboratory

: CENTRAL LABORATORY (THAILAND) Co., Ltd.

Songkhla Branch

Address

: 9/116 Kanchanawanich Road, Hatyai, Hatyai, Songkhla,

90110 Thailand.

Designation Code

: 039-56(1)/10-2568

Type of Sample	Test	Method
2. Chicken meat	Nitrofuran metabolites:	In-house method TE-CH-002 based
(Continued)	1. 1-Aminohydantoin	on Journal of Chromatography B.,
	(AHD)	(1997), Vol.691, page 87-94
	2. 3-Amino-2-	(Tissue Bound Residues and Total
1	oxazolidinone (AOZ)	Residues)
	3. 3-Amino-5-	
	morpholinomethyl -2-	
	oxazolidinone (AMOZ)	d d
	4. Semicarbazide (SEM)	
	Sulfonamide group:	In-house method TE-CH-156 based
	1. sulfachloropyridazine	on Analytical chimica Acta, 546
	(SCPD)	(2005), page 174-181
	2. sulfadiazine (SDZ)	
	3. sulfadimethoxine	
	(SDM)	

Date of issue

: 7 July 2025

Valid until

July 2028

(DR.UDOM CHUACHAN, DVM.)

DIRECTOR OF BUREAU OF QUALITY CONTROL



#### by Department of Livestock Development

Name of Laboratory

: CENTRAL LABORATORY (THAILAND) Co., Ltd.

Songkhla Branch

Address

: 9/116 Kanchanawanich Road, Hatyai, Hatyai, Songkhla,

90110 Thailand.

Designation Code

: 039-56(1)/10-2568

Type of Sample	Test	Method
2. Chicken meat	Sulfonamide group:	In-house method TE-CH-156 based
(Continued)	4. sulfamerazine (SMR)	on Analytical chimica Acta, 546
	5. sulfamethazine (SMZ)	(2005), page 174-181
	6. sulfamethoxazole	
	(SMXZ)	
	7. sulfamonomethoxine	
	(SMONO)	
	8. sulfapyridine (SPD)	
	9. sulfaquinoxaline	
	(SQX)	
	10. sulfathiazole (STZ)	
	11. sulfisoxazole (SIX)	
	trimethoprim (TMP)	
	ormetoprim (OMP)	

Date of issue

: 7 July 2025

Valid until

6 July 2028

Signed.....

(DR.UDOM CHUACHAN, DVM.)

DIRECTOR OF BUREAU OF QUALITY CONTROL



#### by Department of Livestock Development

Name of Laboratory

: CENTRAL LABORATORY (THAILAND) Co., Ltd.

Songkhla Branch

Address

: 9/116 Kanchanawanich Road, Hatyai, Hatyai, Songkhla,

90110 Thailand.

Designation Code

: 039-56(1)/10-2568

Designation code		
Type of Sample	Test	Method
3. Animal feed and raw	Nitrogen and Protein	In-house method TE-CH-012 based
material		on AOAC (2023) 981.10
	Ash	AOAC (2023) 942.05
4. Animal feed and raw	Aflatoxin B1	In-house method TE-CH-025 based
material (non pet food)	Aflatoxin B2	on AOAC (2023) 991.31 and 971.22
	Aflatoxin G1	
	Aflatoxin G2	
5. Water and Ice	Coliforms (MPN)	Standard Methods for the
		Examination of Water and
		Wastewater. APHA, AWWA, WEF, 24 <sup>th</sup>
,		Edition, 2023, Part 9221

Date of issue

7 July 2025

Valid until

6 July 2028

Signed.....

(DR.UDOM CHUACHAN, DVM.)

DIRECTOR OF BUREAU OF QUALITY CONTROL



#### by Department of Livestock Development

Name of Laboratory

: CENTRAL LABORATORY (THAILAND) Co., Ltd.

Songkhla Branch

Address

: 9/116 Kanchanawanich Road, Hatyai, Hatyai, Songkhla,

90110 Thailand.

Designation Code

: 039-56(1)/10-2568

Type of Sample	Test	Method
5. Water and Ice	Escherichia coli (MPN)	Standard Methods for the
(Continued)		Examination of Water and
		Wastewater. APHA, AWWA, WEF, 24 <sup>th</sup>
		Edition, 2023, Part 9221

#### Food\*:

- 1. Meat and Meat products (Fresh, Frozen, Processed)
- 2. Poultry meat and Poultry meat products (Fresh, Frozen, Processed)
- 3. Egg and Egg products
- 4. Semi-Instant food products (with livestock ingredient)
- 5. Ready-to-eat foods (with livestock ingredient)
- 6. Honey

#### Remark

If there are further scientific evidences convincing that any rapid method, proprietary method or alternative method has drawback which might affect the testing validity or inappropriate for livestock product exports testing, the Department of livestock development may withdraw such certified scope of testing.

Date of issue

7 July 2025

Valid until

6 July 2028

Signed...

(DR.UDOM CHUACHAN, DVM.) DIRECTOR OF BUREAU OF QUALITY CONTROL